	Туре	L	#	Hits	Search Text	DBs	Time Stamp	Comment
1	BRS	L1		4	"20040086055" or "20030076878" or "6175550".pn. or "20030112745"	US- PGPUB; USPAT; EPO; JPO	2006/04/2 8 13:57	
2	BRS	L2		76	demodulat\$4 or plural\$3 adj2 demodulat\$3 or multi\$3 adj2 demodulat\$4) with (interference adj2	$\Pi \cap \Box \cup \Delta \cap \Box$	2006/04/2 8 14:48	

	Error Definition	Err
1		
2		

	Туре	L	#	Hits	Search Text	DBs	Time Stamp	Comment
3	BRS	L3		8	(diversity near2 receiv\$3 or CDMA near2 receiv\$3 or rake finger\$1 or rake near2 combin\$4 or plural\$3 adj2 finger\$1 or multi\$3 adj2 finger\$1 or parallel adj2 finger\$1 or parallel adj2 receiv\$3 or parallel adj2 demodulat\$4 or plural\$3 adj2 demodulat\$4 or plural\$3 adj2 demodulat\$4) with (ICU\$1) same decod\$4	US- PGPUB; USPAT; EPO; JPO	2006/04/2 8 14:41	
4	BRS	L4		9	adj2 finger\$1 or multi\$3 adj2 finger\$1 or parallel adj2 finger\$1 or parallel adj2 receiv\$3 or	US- PGPUB	2006/04/2 8 14:42	
5	BRS	L5		80	(2 or 4)	IIIS PAT	2006/04/2 8 14:42	

	Error Definition	Err
	·	
3		
4		
-		
5	•	

	Туре	L	#	Hits	Search Text	DBs	Time Stamp	Comment
6	BRS	L6		12	(signal adj2 noise near3 interference near2 ratio\$1 or SNR near3 interference or SNR near3 interference near3 ratio) same (effective near3 SNR\$1 or proper near3 SNR or effective near2 noise near2 signal or effective near3 signal near2 ratio\$1)	USPAT	2006/04/2 8 15:04	
7	BRS	Ŀ7		36	interference adj2 suppress\$3 or noise adj2 suppress\$3 or interference adj2	PGPUB;	2006/04/2 8 14:52	

	Error Definition	Err ors
6		
	·	
	·	
7		

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Comment
8	BRS	L8	53	1	PGPUB	2006/04/2 8 14:52	
9	BRS	L9	115	(MIMO\$1 or multiple adj2 input\$1 adj2 multiple adj2 output\$1 or MUD\$1 or multi adj2 user\$1) same (interference adj2 cancel\$6 or noise adj2 cancel\$6 or	US- PGPUB; USPAT; EPO; JPO	2006/04/2 8 14:53	
10	BRS	L10	115	7 or 8 or 9	$\Pi \cup \Box \cup \Delta \cap \Box$	2006/04/2 8 15:03	

	Error Definition	Err
8		
9		
10	<u>-</u>	

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Comment
11	BRS	L12	37	(signal adj2 noise near3 interference near2 ratio\$1 or SNR near3 interference or SNR near3 interference near3 ratio) and 10	USPAT	2006/04/2 8 15:04	
12	BRS	L11	9	near3 SNR\$1 or proper near3 SNR or effective near2 noise near2 signal or effective near3 signal near2	; IISPAT	2006/04/2 8 15:06	
13	BRS	L13	28	12 not 11	US- PGPUB ;	2006/04/2 8 15:06	-

	Error Definition	Err
11		
12		
13		